



सत्यमेव जयते

## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,  
Room No. 217, 2nd floor,  
Mantralaya, Annexe,  
Mumbai- 400 032.  
Date: September 1, 2018

To,  
**Aarav Fragrances & Flavors Pvt. Ltd.**  
at Plot No.: C-61, Road No. RC-1, Thane Belapur road, MIDC Pawane, Navi Mumbai

**Subject:** Environment Clearance for Proposed Establishment of Synthetic Organic Chemicals Manufacturing Facility By Aarav Fragrances & Flavors Pvt. Ltd., Plot No.: C-61, Road No. RC-1, Thane Belapur road, MIDC Pawane, Navi Mumbai

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 151 st (Day -3)st meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 135th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f)- Category B as per EIA Notification 2006.

### Brief Information of the project submitted by you is as below :-

1.Name of Project	Proposed Establishment of Synthetic Organic Chemicals Manufacturing Facility By Aarav Fragrances & Flavors Pvt. Ltd., Plot No.: C-61, Road No. RC-1, Thane Belapur road, MIDC Pawane, Navi Mumbai
2.Type of institution	Private
3.Name of Project Proponent	Aarav Fragrances & Flavors Pvt. Ltd.
4.Name of Consultant	Aditya Environmental Services Pvt. Ltd.
5.Type of project	Not applicable
6.New project/expansion in existing project/modernization/diversification in existing project	Establishment within existing project.
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Not applicable. Existing facility is for R & D, blending & formulation which does not falls under EIA notification, 2006.
8.Location of the project	Plot No.: C-61, Road No. RC-1, Thane Belapur road, MIDC Pawane, Navi Mumbai
9.Taluka	Navi Mumbai
10.Village	Navi Mumbai
Correspondence Name:	Mr. Shailesh Deshmukh
Room Number:	--
Floor:	--
Building Name:	--
Road/Street Name:	--
Locality:	--
City:	Mumbai
11.Area of the project	MIDC Pawane
12.IOD/IOA/Concession/Plan Approval Number	MIDC approved plot plan IOD/IOA/Concession/Plan Approval Number: MIDC Plot plan approval Approved Built-up Area: 1711
13.Note on the initiated work (If applicable)	Existing facility is for R & D, blending & formulation. Proposed project will be established within existing facility. The site is already constructed & minor modifications require for proposed project establishment.
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	MIDC approved plot plan
15.Total Plot Area (sq. m.)	4050 sq.m

**SEIAA Meeting No: 135 Meeting Date: August 10, 2018 ( SEIAA-STATEMENT-000000761 )**  
**SEIAA-MINUTES-0000000545**  
**SEIAA-EC-0000000404**

16.Deductions	Not applicable
17.Net Plot area	Not applicable
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.): 1711
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	25100000



# Government of Maharashtra

## 22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Research and Development pilot plant	--	--	--
2	Blending / Formulation of fragrances / perfumes and flavors	80 TPM	--	80 TPM
3	Perfumery & Flavor Esters Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
4	Perfumery & Flavor Alcohol Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
5	Perfumery & Flavor Aldehyde and Aldehyde derivatives Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
6	Dimerization and Trimerization of simple olefins Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
7	Ketals / Acetals / substituted 1,3-propanediols Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
8	Macro cyclic and polycyclic musks derived from propylene/ butadiene and other propylene derivatives Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
9	Aldehydes & Ketones by Aldol Condensation Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
10	Acetylene and other alkyne derivatives Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
11	Cyclo Alkylation/Acetylation, Diel Alders Reactions: Cyclization Reaction, Etherification of Alkyl Halide and Alcohol, Epoxidation of Alkenes /Friedel Craft Reactions Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
12	Hydrogenation Products in various grades	--	372 TPM	372 TPM (single or group of products can be manufactured within 372 TPM)
13	Inorganic Salts (Low stream products)	--	50 TPM	50 TPM
14	Total	80 TPM	422 TPM	502 TPM

## 23. Total Water Requirement

<b>Dry season:</b>	<b>Source of water</b>	MIDC
	<b>Fresh water (CMD):</b>	57
	<b>Recycled water - Flushing (CMD):</b>	Not applicable
	<b>Recycled water - Gardening (CMD):</b>	Not applicable
	<b>Swimming pool make up (Cum):</b>	Not applicable
	<b>Total Water Requirement (CMD) :</b>	Not applicable
	<b>Fire fighting - Underground water tank(CMD):</b>	Not applicable
	<b>Fire fighting - Overhead water tank(CMD):</b>	Not applicable
	<b>Excess treated water</b>	Not applicable
<b>Wet season:</b>	<b>Source of water</b>	Not applicable
	<b>Fresh water (CMD):</b>	Not applicable
	<b>Recycled water - Flushing (CMD):</b>	Not applicable
	<b>Recycled water - Gardening (CMD):</b>	Not applicable
	<b>Swimming pool make up (Cum):</b>	Not applicable
	<b>Total Water Requirement (CMD) :</b>	Not applicable
	<b>Fire fighting - Underground water tank(CMD):</b>	Not applicable
	<b>Fire fighting - Overhead water tank(CMD):</b>	Not applicable
	<b>Excess treated water</b>	Not applicable
<b>Details of Swimming pool (If any)</b>	Not applicable	

# Government of Maharashtra

## 24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	1	5	6	0	0	0	1	5	6
Industrial Process	6	13	19	1	1	2	5	12	17
Cooling tower & thermopack	0.5	23.5	24	0.5	16.5	17	0	7	7
Gardening	0	8	8	0	8	8	0	0	0

<b>25.Rain Water Harvesting (RWH)</b>	Level of the Ground water table:	--
	Size and no of RWH tank(s) and Quantity:	adequate size of tank will be provided.
	Location of the RWH tank(s):	within plant
	Quantity of recharge pits:	--
	Size of recharge pits :	--
	Budgetary allocation (Capital cost) :	5 Lakhs
	Budgetary allocation (O & M cost) :	1 Lakhs
	Details of UGT tanks if any :	--

<b>26.Storm water drainage</b>	Natural water drainage pattern:	--
	Quantity of storm water:	--
	Size of SWD:	--

<b>27.Sewage and Waste water</b>	Sewage generation in KLD:	6
	STP technology:	--
	Capacity of STP (CMD):	--
	Location & area of the STP:	--
	Budgetary allocation (Capital cost):	--
	Budgetary allocation (O & M cost):	--

## 28.Solid waste Management

<b>Waste generation in the Pre Construction and Construction phase:</b>	<b>Waste generation:</b>	No major construction waste, as project involves minor modification of existing unit.
	<b>Disposal of the construction waste debris:</b>	--
<b>Waste generation in the operation Phase:</b>	<b>Dry waste:</b>	Distillation Residue, Discarded containers/ barrels / liners, Contaminated Bags/ Cotton Rags, Spent Catalyst
	<b>Wet waste:</b>	Sludge and filters contaminated with oil, Waste residue containing oil, Spent acid, Used/ Spent oil, Chemical sludge from waste water treatment
	<b>Hazardous waste:</b>	Distillation Residue, Discarded containers/ barrels / liners, Contaminated Bags/ Cotton Rags, Spent Catalyst, Sludge and filters contaminated with oil, Waste residue containing oil, Spent acid, Used/ Spent oil, Chemical sludge from waste water treatment
	<b>Biomedical waste (If applicable):</b>	--
	<b>STP Sludge (Dry sludge):</b>	--
	<b>Others if any:</b>	--
<b>Mode of Disposal of waste:</b>	<b>Dry waste:</b>	To CHWTSDF/ Sale to authorized recycler
	<b>Wet waste:</b>	To CHWTSDF/ Sale to authorized recycler
	<b>Hazardous waste:</b>	To CHWTSDF/ Sale to authorized recycler
	<b>Biomedical waste (If applicable):</b>	--
	<b>STP Sludge (Dry sludge):</b>	--
	<b>Others if any:</b>	--
<b>Area requirement:</b>	<b>Location(s):</b>	within site
	<b>Area for the storage of waste &amp; other material:</b>	as per requirement
	<b>Area for machinery:</b>	--
<b>Budgetary allocation (Capital cost and O&amp;M cost):</b>	<b>Capital cost:</b>	--
	<b>O &amp; M cost:</b>	--

# Government of Maharashtra

## 29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	--	4 to 6	6.5 to 9	6.5 to 9
2	Chemical oxygen Demand	mg/L	6000 to 7000	< 250	< 250
3	Biological oxygen demand	mg/L	2500 to 3000	< 100	< 100
4	Total Dissolved solids	mg/L	4000 to 6000	< 2100	< 2100
5	Total Suspended solids	mg/L	200 to 300	< 100	< 100
6	Oil & Grease	mg/L	20 to 30	, 10	< 10
Amount of effluent generation (CMD):		30 cmd			
Capacity of the ETP:		30 cmd			
Amount of treated effluent recycled :		Nil. Treated effluent will be sent to CETP for disposal.			
Amount of water send to the CETP:		30 cmd			
Membership of CETP (if require):		Yes. Unit is already member of CETP.			
Note on ETP technology to be used		Collection tank > O & G trap > Neutralization tank > Settling tank > Pri. clarifier > Aeration tank > Sec. clarifier > Pressure sand filter > Activated carbon filter > Treated effluent collection tank > Discharge to CETP			
Disposal of the ETP sludge		to CHWTSDF.			


  
**Government of  
Maharashtra**

### 30. Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Sludge and filters contaminated with oil	3.1	kg/ month	100	3360	3460	To CHWTSDF
2	Used/Spent oil	5.1	kg/ month	2.4	2400	2402	Sale to authorized recycler
3	Waste residue containing oil	5.2	Ton/ month	0.1	12	12.1	Sale to authorized recycler
4	Distillation Residue	20.3	Ton/ month	--	16.2	16.2	Disposal to CHWTSDF
5	Spent acid	26.3	Ton/ month	--	16	16	Sell to authorized recycler
6	Discarded containers/barrels /liners	33.1	No./ month	1	200	201	sale to authorized recycler (after decontamination)
7	Contaminated Bags/ Cotton Rags Etc	33.2	Ton/ month	--	6	6	Disposal to CHWTSDF
8	Chemical sludge from waste water treatment	35.3	Ton/ month	0.010	10	10.010	CHWTSDF
9	Spent Catalyst	A68/A71	Ton/ month	--	6	6	Disposal by sales to registered recycler or sent back to manufacturer.

### 31. Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Baby boiler (existing)	Furnace oil- 400 Lit/ day	1	25	as per norms	as per norms
2	Thermopak (existing)	LDO: 300 Lit/ day	2	25	as per norms	as per norms
3	3 Nos. of 1 TPH baby boiler (Proposed)	Furnace oil: 4600 kg/ day Or LDO: 4400 kg/day Or NG: 6000 Nm3/day	3	Common stack- 33 m	0.4	300
4	3 Lac kcal/Hr Thermic Fluid Heater (Proposed)	Furnace oil: 1000 kg/day Or LDO: 900 kg/day Or NG: 1100 Nm3/day	4	30	0.2	180
5	125 KVA DG set (existing)	HSD: 200 Lit/ day	5	2.5 m above roof	as per norms	as per norms
6	500 KVA DG set (Proposed)	HSD: 2400 Lit/ day	6	4.5 m above roof	as per norms	as per norms
7	66 KVA DG set (Proposed)	HSD: 320 Lit/ day	7	2 m above roof	as per norms	as per norms
8	Process stack (Proposed)	--	8	as per norms	as per norms	as per norms

### 32. Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Furnace oil	400 Lit/ Day	5600 Lit/ Day	6000 Lit/ day
2	LDO	260 kg/ Day	5300 Kg/ Day	5560 kg/ Day
3	Natural gas	--	7100 Nm3/ day	7100 Nm3/ day
4	HSD	200 Lit/ Day	2720 Lit/ day	2920 Lit/ Day
Source of Fuel		Nearby source		
Mode of Transportation of fuel to site		By road		

### 33. Energy

**SEIAA Meeting No: 135 Meeting Date: August 10, 2018 ( SEIAA-STATEMENT-000000761 )**  
**SEIAA-MINUTES-000000545**  
**SEIAA-EC-000000404**



<b>Power requirement:</b>	<b>Source of power supply :</b>	MSEDCL
	<b>During Construction Phase: (Demand Load)</b>	500 KVA
	<b>DG set as Power back-up during construction phase</b>	existing DG set
	<b>During Operation phase (Connected load):</b>	500 KVA
	<b>During Operation phase (Demand load):</b>	500 KVA
	<b>Transformer:</b>	--
	<b>DG set as Power back-up during operation phase:</b>	proposed 500 KVA DG set & 66 KVA DG set
	<b>Fuel used:</b>	Proposed additional fuel: HSD: 2720 Lit/ Day
	<b>Details of high tension line passing through the plot if any:</b>	--

### 34. Energy saving by non-conventional method:

--

### 36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	--	--

### 37. Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air pollution	Adequate Stack	Adequate stack
Water pollution	Effluent treatment plant	Effluent treatment plant
Hazardous waste generation	To CHWTSDF, Authorized recycler	To CHWTSDF, Authorized recycler
Noise pollution	Acoustic enclosure	Acoustic enclosure

<b>Budgetary allocation (Capital cost and O&amp;M cost):</b>	<b>Capital cost:</b>	--
	<b>O &amp; M cost:</b>	--

### 38. Environmental Management plan Budgetary Allocation

#### a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	--	--	--

#### b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air pollution control	Stack & Process scrubber	10	3
2	Water pollution control	ETP	28	5
3	Environment monitoring and management	Environment monitoring	5	2
4	Occupational health and safety	Occupational health and safety	--	5

5	Green belt / plantation development	Green belt maintenance	--	5
6	Hazardous waste and solid waste management	Hazardous waste disposal	6	10
7	Other Green initiatives	Rain water harvesting	5	1
8	Other Green initiatives	Solar power / LED	2	1

### 39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Furnace oil	Proposed	within plot	10 KL	10 KL	6 KL per Day	nearby source	by road

### 40.Any Other Information

No Information Available



**Government of  
Maharashtra**

	<b>CRZ/ RRZ clearance obtain, if any:</b>	Not applicable
	<b>Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries</b>	Not applicable
	<b>Category as per schedule of EIA Notification sheet</b>	5 (f)- Category B
	<b>Court cases pending if any</b>	Not applicable
	<b>Other Relevant Informations</b>	The proposed products will be manufactured individual or in group within the quantity of 372 TPM. Total product (existing & proposed) : 502 TPM
	<b>Have you previously submitted Application online on MOEF Website.</b>	Yes
	<b>Date of online submission</b>	10-03-2016

**3. The proposal has been considered by SEIAA in its 135th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:**

**Specific Conditions:**

<b>I</b>	PP to consider worst case scenario while designing all pollution control equipments.
----------	--

**General Conditions:**

<b>I</b>	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
<b>II</b>	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
<b>III</b>	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
<b>IV</b>	Proper Housekeeping programmers shall be implemented.
<b>V</b>	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
<b>VI</b>	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
<b>VII</b>	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
<b>VIII</b>	Arrangement shall be made that effluent and storm water does not get mixed.
<b>IX</b>	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
<b>X</b>	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
<b>XI</b>	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
<b>XII</b>	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
<b>XIII</b>	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
<b>XIV</b>	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
<b>XV</b>	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
<b>XVI</b>	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
<b>XVII</b>	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
<b>XVIII</b>	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

<b>XIX</b>	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
<b>XX</b>	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>
<b>XXI</b>	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
<b>XXII</b>	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
<b>XXIII</b>	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
<b>XXIV</b>	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
<b>XXV</b>	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



# Government of Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri. Anil Diggikar (Member Secretary SEIAA)

**Copy to:**

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Government of  
Maharashtra