

Member (CGWA)



भारत सरकार
केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन, नदी विकास
और गंगा संरक्षण मंत्रालय

Government of India
Central Ground Water Authority
Ministry of Water Resources,
River Development & Ganga Rejuvenation

CGWA/IND/Proj/2018-335-R

No.21-4(211)/ CR/CGWA/2015- 2297

Dated:- 11 DEC 2018

To

M/s Aarav Fragrances & Flavours Pvt. Ltd.
Aarav House, Plot Nos. A -152, 153 Wagle Industrial Area,
Road No. 25, MIDC Thane (W) – 400604
Maharashtra

Sub: - Renewal of NOC for ground water withdrawal to M/s Aarav Fragrances & Flavours Pvt. Ltd., in respect of their existing chemical industry located at Gut No. 296/171, Village Jamghar-Lakhmapur, Taluka Wada, District Thane, Maharashtra - reg.

Refer to your application dated 20/11/2017 on the above cited subject. Based on recommendation of Regional Director, Central Ground Water Board, Central Region, Nagpur vide his office letter No. CGWB/CR/Aarav/2015/732 dated 18/06/2018, and further deliberations on the subject, the renewal of NOC issued vide this office letter of even no. dated 30/09/2015 is hereby accorded to **M/s Aarav Fragrances & Flavours Pvt. Ltd., in respect of their existing chemical industry located at Gut No. 296/171, Village Jamghar-Lakhmapur, Taluka Wada, District Thane, Maharashtra.** The renewed NOC is valid from 30/09/2017 to 29/09/2020 and is subject to the following conditions:-

1. The firm may continue to abstract **115.50 cu.m/day** (and not exceeding **42,157.50 cu.m/year**) of ground water through two (2) existing bore wells & one (1) existing dug well only. No additional ground water abstraction structures shall be constructed for this purpose without prior approval of the CGWA.
2. All the wells shall be fitted with digital water flow meters and monthly ground water abstraction data of each well shall be recorded in a log book by the firm.
3. **M/s Aarav Fragrances & Flavours Pvt. Ltd.,** shall, continue to implement ground water recharge measures to the tune of **90,980 m³/year** for augmenting the ground water resources of the area. Firm shall also undertake periodic maintenance of recharge structures at its own cost.
4. The firm shall continue to execute monthly ground water level monitoring in the project area through three (3) nos. of existing piezometers at suitable locations with digital water level recorders.
5. The ground water quality shall be monitored once in a year during pre monsoon period.

18/11, Jamnagar House, Mansingh Road, New Delhi-110011


Phone : (011) 23383561 Fax : 23382051, 23386743

Website: www.cgwa.noc.gov.in

स्वच्छ सुरक्षित जल - सुन्दर खुशहाल कल

CONSERVE WATER - SAVE LIFE

6. The ground water monitoring data in respect of S. No. 2, 4, & 5 shall be submitted to the Regional Director, Central Ground Water Board, Central Region, Nagpur on regular basis at least once in a year.
7. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.
8. Action taken report in respect of S.N o. 1 to 7 shall be submitted to CGWA within one year period.
9. The NOC is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 8.
10. This NOC is subject to prevailing Central/State Government rules/laws or Court orders related to construction of tubewell/ground water withdrawal/construction of recharge or conservation structures/discharge of effluents or any such matter as applicable
11. This NOC does not absolve the applicant / proponent of his obligation / requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
12. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.



10.12.18

Member (CGWA)

O/C

Copy to:

1. The Regional Officer, Maharashtra Pollution Control Board, Jog Centre, 3rd Floor, Mumbai-Pune Road, Wakdewadi, Pune, Maharashtra-411003 **with the request to ensure that the conditions mentioned in the NOC are complied by the firm in consultation with the District Collector & Magistrate, District Thane, Maharashtra.**
2. The District Collector & Magistrate, District Thane, Maharashtra for necessary action.
3. The Regional Director, Central Ground Water Board, Central Region, Maharashtra. This has reference to your recommendation dated 05/09/2018.
4. Guard File 2018-19.


10.12.18

Member (CGWA)

O/C


10/12/18